


Coulter  
Jewell  
Thames<sup>RA</sup>

111 West Main Street  
Durham, N.C. 27701  
p 919.682.0368  
f 919.688.5646  
www.cjtpa.com

NC BOARD OF EXAMINERS FOR  
ENGINEERS AND SURVEYORS  
LIC # C-1209  
NC BOARD OF LANDSCAPE  
ARCHITECTS LIC # C-104



Project

DURHAM TECH  
FACILITIES  
BUILDING  
DURHAM, NC

DURHAM TECH.  
COMM. COLLEGE  
1616 COOPER ST.  
DURHAM, NC 27703  
919-743-5722

PIN:  
0830-07-58-4362  
0830-06-48-8582

CJT Job Number: 1707

Drawn VIC:PBR  
Checked VIC  
Date 07/02/2018  
Revisions

CONSTRUCTION  
DRAWINGS


NOT RELEASED FOR  
CONSTRUCTION

Sheet Title

EROSION  
CONTROL  
DETAILS


Sheet Number

CD-4.2





- NOTES:
1. ACTUAL LAYOUT TO BE DETERMINED IN FIELD.
  2. THE "CONCRETE WASHOUT" SIGN SHALL BE INSTALLED WITHIN 30 FT OF THE TEMPORARY CONCRETE WASHOUT FACILITY.
  3. PIT CAPACITY IS MINIMUM OF 6 CU FT PER 10 CU YD OF CONCRETE.
  4. CONTRACTOR TO COORDINATE WITH USAGE CONTRACTING OFFICER FOR PROPER DISPOSAL OF CONCRETE.


1/CD-4.2  
CONCRETE WASH OUT AREA  
SCALE: NTS




2/CD-4.2  
INLET SEDIMENT BAG  
SCALE: NTS



3/CD-4.2  
WATTLE INLET PROTECTION  
SCALE: NTS



- NOTES:
1. WATTLES SHALL BE FILLED WITH STRAW OR OTHER APPROVED MATERIAL.
  2. WATTLES MAY BE USED FOR PROTECTION OF CATCH BASINS AND DROP INLETS AS SHOWN ON THE PLANS



4/CD-4.2  
BLOCK AND GRAVEL INLET PROTECTION  
SCALE: NTS